

कार्यपालक अभियन्ता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, मुजफ्फरपुर पूर्वी-2।

पत्रांक 1250 /

दिनांक 30/04/2025

प्रेषक,

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,
कार्य प्रमंडल मुजफ्फरपुर पूर्वी-2।

सेवा में,

नोडल पदाधिकारी (MMGSUY)
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय :- MMGSUY (SC) योजना अन्तर्गत आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपर्युक्त विषय से संबंधित विहित प्रपत्र में वांछित सूचना उपलब्ध कराते हुए अनुरोध है,
कि आवंटन उपलब्ध कराने की कृपा की जाय।

अनु0- यथोक्त।

विश्वासभाजन

कार्यपालक अभियन्ता
ग्रामीण कार्य विभाग,

कार्य प्रमंडल, मुजफ्फरपुर पूर्वी-2।

28/04/25

GFR 12-B
[See Rule 256(2)]

FORM OF UTILIZATION CERTIFICATE

- (1) Certified that out of the Loan of Rs 466.02704 (Four Crore Sixty Six Lac Two Thousand Seven Hundred Four Only), Sanctioned under MMGSUY(SC), dated 31.03.2025, in favor of Executive Engineer RWD Works Div-Muzaffarpur East-II, during the year 2024-25, an amount of Rs 466.02704 (Four Crore Sixty Six Lac Two Thousand Seven Hundred Four Only), has been utilized for the purpose for which it was sanctioned, and that the balance of Rs 0.53044 (Fifty Three Thousand Fourty Four Only)
- (2) Remaining unutilized at the end of the year 2024-25 has been surrendered to the Government (vide No. Nil dated)/ will be adjusted towards the loan payable during the next financial Year.
- (3) Certified that I have satisfied myself that the conditions on which the loan was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually spent for the purpose for which the loan was made.

Kinds of checks exercised

Agmt 28-4-2025
D.A.O.

Rural Works Department
Works Division Muzaffarpur East-2

28/04/25
Executive Engineer
Rural Works Department
Works Division Muzaffarpur East-2

28/04/25

Form for Scheme Head - MR (3054) Under Bihar Rural Road maintenance Policy 2018 (Initial Rectification and Surface Renewal)
of Division : Muzaffarpur East-II

Sl.No	Package no.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter No. & Date	Administrative		Agreement Amount (in		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bituminous Layer (in mm)	Value of Bituminous Content in per cent	Previous Total Allocated Amount (in Lac)	up to date expenditure as per MIS (in Lac)	Requisition Against work done (in lac)	Remarks
					Length (in Km)	Amount (in Lac)	Initial Rectification with Surface Renewal (in lac)	5 years Routine Maintenance (in lac)										
1	MMGSUY/23-24 Muzaffarpur East-2/02	NH-77 Se Gopalpur Sarachiya Bandh Tak	5150730300001	1090 / 01.03.2024	10.000	951.87000	660.92079	50.47262	MMGSUY/MBD-08/2024-25	20.06.2025	BM SDBC Complete	3252.85	25mm	5%	466.02704	466.02704	143.65918	Work Completed

Executive Engineer
RWD Works Division
Muzaffarpur East-II

Name of Road- NH-77 Se Gopalpur Sarachiya Bandh Tak

Name of Contractor-Vijay Kumar Raushan

Batch No- MMSGUY/23-24 Muzaffarpur East-202

Date	Time	Section No.	Length in km	Bumps in mm	Speed Rate	OR mm/km	IRI CATEGORY	Latitude	Longitude	Event	Y = 0 * X ^ 2 + 0.936 * X + 278.4
11/4/25	12:57:20	23	0.1	230	0	2300	2340 G	3.22	26.73861	85.35507 Normal	Y = 7143
11/4/25	12:57:20	23	0.1	130	30.3	1300	2486 G	2.15	26.73838	85.35594 Normal	Y = 6964
11/4/25	12:57:20	23	0.1	340	30.3	3400	3280 G	4.36	26.73836	85.35692 Curve	
11/4/25	12:58:0	23	0.1	230	20.2	2300	2340 G	3.22	26.738	85.35776 Normal	
11/4/25	12:58:0	23	0.1	200	30.3	2000	2084 G	2.91	26.73799	85.35874 Normal	(R) RURAL ROAD
11/4/25	12:58:31	23	0.1	140	30.3	1400	2572 G	2.26	26.73782	85.35963 Normal	Good
11/4/25	12:59:6	23	0.1	230	10.1	2300	2340 G	3.22	26.73793	85.36064 Speed Break	Average Poor
11/4/25	12:59:6	23	0.1	160	10.1	1600	1742 G	2.48	26.73798	85.36157 Speed Breaker	
11/4/25	12:59:42	23	0.1	180	20.2	1800	2913 G	2.69	26.73789	85.36249 Normal	
11/4/25	12:59:42	23	0.1	140	30.3	1400	1572 G	2.26	26.73785	85.36342 Curve	
11/4/25	12:59:42	23	0.1	150	30.3	1500	2657 G	2.37	26.73764	85.36436 Normal	
11/4/25	13:0:0	23	0.1	120	30.3	1200	1401 G	2.04	26.73712	85.36508 Normal	
11/4/25	13:0:17	23	0.1	160	30.3	1600	1742 G	2.48	26.73621	85.3653 Curve	
11/4/25	13:0:17	23	0.1	250	30.3	2500	2511 G	3.43	26.73558	85.36566 Normal	
11/4/25	13:0:17	23	0.1	160	30.3	1600	2742 G	2.48	26.73547	85.36655 Normal	
11/4/25	13:0:52	23	0.1	200	30.3	2000	2084 G	2.91	26.73522	85.36749 Normal	
11/4/25	13:1:0	23	0.1	220	30.3	2200	2255 G	3.12	26.73514	85.36845 Normal	
11/4/25	13:1:0	23	0.1	140	40.4	1400	2572 G	2.26	26.73472	85.36924 Normal	
11/4/25	13:1:0	23	0.1	170	40.4	1700	1828 G	2.59	26.73436	85.37015 Normal	
11/4/25	13:1:27	23	0.1	140	30.3	1400	2572 G	2.26	26.73395	85.37103 Curve	
11/4/25	13:1:27	23	0.1	290	20.2	2900	2833 G	3.85	26.73289	85.37251 Speed Breaker	
11/4/25	13:7:0	23	0.1	220	0	2200	2255 G	3.12	26.73214	85.38214 Normal	
11/4/25	13:7:24	23	0.1	310	10.1	3100	3023 G	4.05	26.73211	85.3831 Normal	
11/4/25	13:8:0	23	0.1	220	10.1	2200	2255 G	3.12	26.73232	85.38397 Normal	
11/4/25	13:8:0	23	0.1	140	30.3	1400	2572 G	2.26	26.73262	85.38487 Normal	
11/4/25	13:8:0	23	0.1	170	30.3	1700	2828 G	2.59	26.73252	85.38581 Normal	
11/4/25	13:8:35	23	0.1	240	20.2	2400	2426 G	3.33	26.73181	85.38618 Normal	
11/4/25	13:10:0	23	0.1	330	0	3300	3194 G	4.25	26.73111	85.38625 Normal	
11/4/25	13:10:20	23	0.1	280	20.2	2800	2767 G	3.74	26.7309	85.3869 Normal	
11/4/25	13:10:20	23	0.1	140	30.3	1400	2572 G	2.26	26.73089	85.38788 Normal	
11/4/25	13:10:20	23	0.1	170	30.3	1700	2828 G	2.59	26.73081	85.38882 Normal	
11/4/25	13:17:28	23	0.1	200	0	2000	2084 G	2.91	26.72655	85.39172 Speed Breaker	
11/4/25	13:18:38	23	0.1	330	0	3300	3194 G	4.25	26.72566	85.39172 Normal	
11/4/25	13:19:12	23	0.1	180	0	1800	2913 G	2.69	26.7249	85.39172 Normal	
11/4/25	13:19:12	23	0.1	170	10.1	1700	2828 G	2.59	26.72402	85.39195 Normal	
11/4/25	13:20:0	23	0.1	210	10.1	2100	2169 G	3.01	26.72319	85.392 Normal	
11/4/25	13:20:23	23	0.1	280	20.2	2800	2767 G	3.74	26.72232	85.39226 Normal	
11/4/25	13:20:23	23	0.1	130	30.3	1300	2486 G	2.15	26.72169	85.39286 Normal	
11/4/25	13:20:23	23	0.1	160	30.3	1600	3742 G	2.48	26.72087	85.39305 Normal	
11/4/25	13:21:0	23	0.1	150	30.3	1500	2657 G	2.37	26.72008	85.39359 Normal	
11/4/25	13:21:0	23	0.1	150	10.1	1500	2657 G	2.37	26.71942	85.39426 Speed Breaker	
11/4/25	13:22:0	23	0.1	320	0	3200	3109 G	4.15	26.71899	85.39503 Speed Breaker	
11/4/25	13:22:9	23	0.1	140	20.2	1400	3572 G	2.26	26.71954	85.39566 Normal	
11/4/25	13:22:9	23	0.1	140	30.3	1400	2572 G	2.26	26.72022	85.39618 Normal	
11/4/25	13:22:9	23	0.1	160	30.3	1600	3742 G	2.48	26.72064	85.397 Normal	


11/4/25	13:22:44	23	0.1	150	40.4	1500	2657 G	2.37	26.72089	85.39798	Normal
11/4/25	13:23:0	23	0.1	150	30.3	1500	3657 G	2.37	26.72092	85.39886	Normal
11/4/25	13:23:0	23	0.1	130	40.4	1300	2486 G	2.15	26.72083	85.39983	Normal
11/4/25	13:23:19	23	0.1	210	30.3	2100	2169 G	3.01	26.72094	85.40079	Normal
11/4/25	13:23:19	23	0.1	180	30.3	1800	2913 G	2.69	26.7213	85.40158	Curve
11/4/25	13:23:19	23	0.1	200	30.3	2000	2084 G	2.91	26.72201	85.4019	Normal
11/4/25	13:23:55	23	0.1	210	30.3	2100	2169 G	3.01	26.72291	85.40202	Normal
11/4/25	13:24:0	23	0.1	140	30.3	1400	3572 G	2.26	26.72332	85.40278	Normal
11/4/25	13:24:0	23	0.1	170	30.3	1700	2828 G	2.59	26.72347	85.40372	Normal
11/4/25	13:24:0	23	0.1	180	30.3	1800	2913 G	2.69	26.72352	85.40468	Curve
11/4/25	13:24:30	23	0.1	120	30.3	1200	2401 G	2.04	26.72364	85.40559	Normal
11/4/25	13:24:30	23	0.1	130	30.3	1300	2486 G	2.15	26.72361	85.40663	Curve
11/4/25	15:0:0	23	0.1	360	0	3600	3450 G	4.56	26.74169	85.63894	Normal
11/4/25	15:0:17	23	0.1	350	30.3	3500	3365 G	4.46	26.74162	85.63993	Normal
11/4/25	15:0:17	23	0.1	330	30.3	3300	3194 G	4.25	26.74154	85.64089	Normal
11/4/25	15:0:17	23	0.1	370	30.3	3700	3536 G	4.66	26.74155	85.64182	Normal
11/4/25	15:1:0	23	0.1	380	10.1	3800	3621 G	4.76	26.74147	85.64281	Speed Breaker
11/4/25	15:7:23	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:23	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:22	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:23	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:20	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:6:10	23	0.1	320	0	3200	3109 G	4.15	26.73693	85.64295	Normal
11/4/25	15:5:0	23	0.1	380	0	3800	3621 G	4.76	26.7377	85.6432	Speed Breaker
11/4/25	15:2:3	23	0.1	300	10.1	3000	2938 G	3.95	26.7386	85.64332	Normal
11/4/25	15:1:27	23	0.1	360	10.1	3600	3450 G	4.56	26.74025	85.64352	Normal
11/4/25	15:1:0	23	0.1	350	20.2	3500	3365 G	4.46	26.7414	85.64355	Curve
11/4/25	15:0:17	23	0.1	370	30.3	3700	3536 G	4.66	26.74155	85.64182	Normal
11/4/25	15:0:17	23	0.1	330	30.3	3300	3194 G	4.25	26.74154	85.64089	Normal
11/4/25	15:0:17	23	0.1	380	10.1	3800	3621 G	4.76	26.74147	85.64281	Speed Breaker
11/4/25	15:0:17	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:22	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:23	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:20	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:6:10	23	0.1	320	0	3200	3109 G	4.15	26.73693	85.64295	Normal
11/4/25	15:5:0	23	0.1	380	0	3800	3621 G	4.76	26.7377	85.6432	Speed Breaker
11/4/25	15:2:3	23	0.1	300	10.1	3000	2938 G	3.95	26.7386	85.64332	Normal
11/4/25	15:1:27	23	0.1	360	10.1	3600	3450 G	4.56	26.74025	85.64352	Normal
11/4/25	15:1:0	23	0.1	350	20.2	3500	3365 G	4.46	26.7414	85.64355	Curve
11/4/25	15:0:17	23	0.1	370	30.3	3700	3536 G	4.66	26.74155	85.64182	Normal
11/4/25	15:0:17	23	0.1	330	30.3	3300	3194 G	4.25	26.74154	85.64089	Normal
11/4/25	15:0:17	23	0.1	380	10.1	3800	3621 G	4.76	26.74147	85.64281	Speed Breaker
11/4/25	15:0:17	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:22	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:23	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:20	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:6:10	23	0.1	320	0	3200	3109 G	4.15	26.73693	85.64295	Normal
11/4/25	15:5:0	23	0.1	380	0	3800	3621 G	4.76	26.7377	85.6432	Speed Breaker
11/4/25	15:2:3	23	0.1	300	10.1	3000	2938 G	3.95	26.7386	85.64332	Normal
11/4/25	15:1:27	23	0.1	360	10.1	3600	3450 G	4.56	26.74025	85.64352	Normal
11/4/25	15:1:0	23	0.1	350	20.2	3500	3365 G	4.46	26.7414	85.64355	Curve
11/4/25	15:0:17	23	0.1	370	30.3	3700	3536 G	4.66	26.74155	85.64182	Normal
11/4/25	15:0:17	23	0.1	330	30.3	3300	3194 G	4.25	26.74154	85.64089	Normal
11/4/25	15:0:17	23	0.1	380	10.1	3800	3621 G	4.76	26.74147	85.64281	Speed Breaker
11/4/25	15:0:17	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:22	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:23	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:20	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:6:10	23	0.1	320	0	3200	3109 G	4.15	26.73693	85.64295	Normal
11/4/25	15:5:0	23	0.1	380	0	3800	3621 G	4.76	26.7377	85.6432	Speed Breaker
11/4/25	15:2:3	23	0.1	300	10.1	3000	2938 G	3.95	26.7386	85.64332	Normal
11/4/25	15:1:27	23	0.1	360	10.1	3600	3450 G	4.56	26.74025	85.64352	Normal
11/4/25	15:1:0	23	0.1	350	20.2	3500	3365 G	4.46	26.7414	85.64355	Curve
11/4/25	15:0:17	23	0.1	370	30.3	3700	3536 G	4.66	26.74155	85.64182	Normal
11/4/25	15:0:17	23	0.1	330	30.3	3300	3194 G	4.25	26.74154	85.64089	Normal
11/4/25	15:0:17	23	0.1	380	10.1	3800	3621 G	4.76	26.74147	85.64281	Speed Breaker
11/4/25	15:0:17	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:22	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:23	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:20	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:6:10	23	0.1	320	0	3200	3109 G	4.15	26.73693	85.64295	Normal
11/4/25	15:5:0	23	0.1	380	0	3800	3621 G	4.76	26.7377	85.6432	Speed Breaker
11/4/25	15:2:3	23	0.1	300	10.1	3000	2938 G	3.95	26.7386	85.64332	Normal
11/4/25	15:1:27	23	0.1	360	10.1	3600	3450 G	4.56	26.74025	85.64352	Normal
11/4/25	15:1:0	23	0.1	350	20.2	3500	3365 G	4.46	26.7414	85.64355	Curve
11/4/25	15:0:17	23	0.1	370	30.3	3700	3536 G	4.66	26.74155	85.64182	Normal
11/4/25	15:0:17	23	0.1	330	30.3	3300	3194 G	4.25	26.74154	85.64089	Normal
11/4/25	15:0:17	23	0.1	380	10.1	3800	3621 G	4.76	26.74147	85.64281	Speed Breaker
11/4/25	15:0:17	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:22	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:23	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:24	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:20	23	0.1	30	30.3	3000	2938 G	3.95	26.7363	85.64352	Normal
11/4/25	15:7:21	23	0.1</								

11/4/25	15:0:0	23	0.1	360	0	3600	3450 G	4.56	26.74169	85.63894	Normal								
11/4/25	15:0:17	23	0.1	350	30.3	3500	3365 G	4.46	26.74162	85.63993	Normal								
11/4/25	15:0:17	23	0.1	330	30.3	3300	3194 G	4.25	26.74154	85.64089	Normal								
11/4/25	15:0:17	23	0.1	370	30.3	3700	3536 G	4.66	26.74155	85.64182	Normal								
11/4/25	15:1:0	23	0.1	380	10.1	3800	3621 G	4.76	26.74147	85.64281	Normal								
11/4/25	15:1:0	23	0.1	350	20.2	3500	3365 G	4.46	26.74114	85.64355	Normal								
Total		10,000	21360.000	2292.700	235200.00	284459.00													
Average			213.60	22.93	2352.00	2844.59													

28/04/25
JRE

28/04/25

File : E:\Mainsh Muzaffarpur-2\Bump Report\Vijay Kumar Roushan MMGUS\1104.2024.Xls. Section No. : 23. Egn :
Name of Customer : Vijay Kumar Raushan. Name of Work/ Road : NH-77 Se Gopalpur Sarachiya Bandh Tak Lab



28/04/25
de

Dr. D. N. 25