

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमण्डल, बिक्रमगंज (रोहतास)।

पत्रांक.....771 अनु० / बिक्रमगंज

दिनांक.....09/05/25

प्रेषक

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, बिक्रमगंज।

सेवा में,

नोडल पदाधिकारी, (MR-3054)
ग्रामीण कार्य विभाग,
बिहार, पटना।

विषय:— नई अनुरक्षण नीति 2018 (MR-3054) योजनान्तर्गत पथ में कराये गये कार्य के विरुद्ध आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में कहना है कि नई अनुरक्षण नीति 2018 (MR-3054) योजनान्तर्गत पथ में कराये गये कार्य के लिए संवेदक को भुगतान करने हेतु अधियाचना विहित प्रपत्र में तैयार कर आवश्यक कार्रवाई हेतु समर्पित की जाती है।

अनुलग्नक:—यथोक्त।

विश्वासभाजन
09/05/25
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमण्डल, बिक्रमगंज।
09/05/2025


Requisition Format for Scheme Head- MR(3054) Under Bihar Rural Road Maintenance Policy-2018 (Initial Rectification and Surface Renewal)

Name of Works Division:- Biktamganj

Sl. No.	Package no.	Name of Road	Project ID as per MIS	Administrative Approval (AA) Letter no. & DT.	Administrative Approval		Agreement Amount (in Lakhs)		Agreement No. & Date	Date of Completion as per Agreement	Actual Date of Completion	Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Previous Total Allotted Amount (in Lakhs)	Up-to-Date expenditure as per MIS (in Lakh)	Requisition against work done. (in Lakhs)	Remarks
					Length (in Km)	Amount of (in Lakhs)	Initial Rectification with Surface Renewal (in Lakh)	5 Years Routine Maintenance (in Lakh)										
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	MR-N/23-24 Biktamganj/03	BR-28R-383 Dawath Panchmandir to Sahadat Dehra	10301302045	प्र. 03/0-4 (प्र. 0)-3054-01-153/2023-6120 DT.-04.12.2023	1.920	83.262	37.71535	11.26972	06 MBD/2024-25 12.11.2024	11.08.2025	-	2732.00	25	5.02	0.00000	0.00000	35.00000	Surface Completed
2	MR-N/23-24 Biktamganj/03	BR-28R-384 NH-30 to Bunda di	10301302063	प्र. 03/0-4 (प्र. 0)-3054-01-153/2023-6120 DT.-04.12.2023	2.065	86.427	39.89583	13.34933	06 MBD/2024-25 12.11.2024	11.08.2025	-	2795.00	25	5.02	0.00000	0.00000	38.00000	Surface Completed
3	MR-N/23-24 Biktamganj/03	BR-28R-382 NH-30 to Paramdih	10301302066	प्र. 03/0-4 (प्र. 0)-3054-01-153/2023-6120 DT.-04.12.2023	1.735	71.158	31.44598	12.85210	06 MBD/2024-25 12.11.2024	11.08.2025	-	2730.00	25	5.02	0.00000	0.00000	30.00000	Surface Completed
4	MR-N/23-24 Biktamganj/03	BR-28R-215 Dawath Kaw Nadi Pul - Kedar Chawari	10301302011	प्र. 03/0-4 (प्र. 0)-3054-01-153/2023-6120 DT.-04.12.2023	1.680	72.327	33.2661	9.25638	06 MBD/2024-25 12.11.2024	11.08.2025	-	2796.00	25	5.02	0.00000	0.00000	30.00000	Surface Completed

- Signed Hard Copy and Soft Copy (in excel) of Recorded IRI is enclosed.
- Up-to-date Physical Progress has been Uploaded in MIS.


Executive Engineer


Executive Engineer

FORM GFR 19-A**(See Government of India's Decision (I) below Rule-150)****Form of utilisation Certification up to month of UPTO April-2025****MR Maintenance Policy 2018****R.W.D. Works Division-Bikramganj (Rohtas)**

SL. NO.	Name of Scheme	Sanction No & Date with Amount (In Rs. Lacs)	Amount Received (In Rs. Lacs)	Particulars
1.	Repair of Rural Road under MR Maintenance Policy 2018	Secretary cum Empowered officer B.R.R.D.A	400.93254	Certified that out of Rs 400.93254 Lacs of grant in aid received during the Year 2024-25 in favour of Executive Engineer RWD Bihar R.W.D. Bikramganj. A sum of Rs 385.49085 Lacs has been utilized for the purpose of MR Maintenance Policy 2018 Schemes as given in the margin for which it was sanctioned and that the balance of Rs 15.44169 Lacs remaining unutilized at the end of the period.
		Total	400.93254	


2. Certified that I have satisfied my self that the conditions on which the grants-in aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- I. Works have been supervised by Executive Engineer/ Superintending Engineer.
- II. Periodical inspection has been conducted by Executive Engineer/Superintending Engineer.
- III. Construction material have been tested.
- IV. Measurements have been recorded in the MBS and test check conducted by the Assistant Engineer/Executive Engineer.
- V. All other codal formalities have been observed.

3. Physiacl progress achieved:

- i. Construction of Road Works.
- ii. Construction of CD Works.


Divisional Accounts Officer
Rural Works Department
Works Div. Bikramganj.


Executive Engineer
Rural Works Department
Works Div. Bikramganj.

09/05/2025

Name of Customer : Rameshwar Singh
 Name of Work/ Road : BR-28R-382 NH-30 to Paramdih
 Lab Job number :
 Date : 04-05-2025
 Section No. : 105

Test Date : 04-05-2025 Road Name : BR-28R-382 NH-30 to Paramdih
 Machine No : 438 Road Type : (R) RURAL ROAD
 Start S No : Side : Interval :
 Start E No :
 Weather :
 Start Location : NH-30
 End Location : Paramdih
 UV Range : 1500 To 4000 1000 mm/Km
 Dist Range : 0 To 1.9 0.1 -1000 m
 Equation : $Y = 0 \cdot X^2 + 0.952 \cdot X + 195.8$


Print

Generate Report and Graph

Redraw Graph

Map View

File : C:\Users\DELL\Downloads\NH-30 To Paramdih.Xls Section No : 105, Eqn : $Y = 0 \cdot X^2 + 0.952 \cdot X + 195.8$
 Name of Customer : Rameshwar Singh Name of Work/ Road : BR-28R-382 NH-30 to Paramdih Lab Job number :



04-05-25
 S.E
 3-4-8
 04/05/25
 S.E

Name of work-BR-28R-382 NH-30 to Paramdih
Name of Agency-Rameshwar Singh

Date	Time	Section	Length	Bumps	Speed	OR	IRI	CATEG ORY	Latitude	Longitude	Event	
4/5/25	12: 27: 0	105	0.1	320	10.1	2461	2600	G	25.36019	84.242373	Normal	$Y = 0 \cdot X^4 + 2 \cdot 0.952 \cdot X + 195.8$
4/5/25	12: 27: 29	105	0.1	260	10.1	2373	2500	G	25.35929	84.242222	Normal	$X = 3163$
4/5/25	12: 28: 5	105	0.1	250	10.1	2461	2600	G	25.35842	84.242053	Normal	$Y = 3400$
4/5/25	12: 28: 40	105	0.1	260	10.1	3163	3400	G	25.3575	84.241885	Normal	
4/5/25	12: 29: 0	105	0.1	340	10.1	2987	3200	G	25.35659	84.24177	Normal	(R) RURAL ROAD
4/5/25	12: 29: 15	105	0.1	320	10.1	3163	3400	G	25.3557	84.241565	Normal	Good
4/5/25	12: 29: 15	105	0.1	340	10.1	2812	3000	G	25.35481	84.241397	Normal	Average
4/5/25	12: 30: 0	105	0.1	300	10.1	2987	3200	G	25.35395	84.241127	Normal	Poor
4/5/25	12: 30: 26	105	0.1	320	20.2	3163	3400	G	25.35413	84.240218	Normal	<4000
4/5/25	12: 30: 26	105	0.1	340	20.2	2636	2800	G	25.3543	84.239258	Normal	4001-5000
4/5/25	12: 31: 1	105	0.1	280	10.1	3163	3400	G	25.35415	84.23843	Curve	>5001
4/5/25	12: 31: 1	105	0.1	340	10.1	2636	2800	G	25.35382	84.237793	Normal	
4/5/25	12: 31: 36	105	0.1	280	10.1	2724	2900	G	25.35351	84.23712	Normal	
4/5/25	12: 32: 11	105	0.1	290	10.1	2900	3100	G	25.35264	84.2368	Normal	
4/5/25	12: 32: 11	105	0.1	310	10.1	3163	3400	G	25.35182	84.236515	Normal	
4/5/25	12: 33: 0	105	0.1	340	10.1	2724	2900	G	25.35103	84.23616	Normal	
4/5/25	12: 33: 21	105	0.1	290	10.1	2636	2800	G	25.35052	84.235622	Normal	
4/5/25	12: 34: 0	105	0.1	280	10.1	2900	3100	G	25.35071	84.234645	Normal	
Average IRI							2730					

Shruti
04/05/25
S.F.

04-5-25

04/05/25
S.F.