कार्यपालक अभियंता का कार्यालय ग्रामीण कार्य विभाग, कार्य प्रमण्डल, उदाकिशुनगंज पत्रांक 928 उदाकिशुनगंज, दिनांक 21 5 25 2025

प्रेषक.

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल-उदाकिशुनगंज।

सेवा में.

अपर मुख्य कार्यपालक पदाधिकारी —सह— सचिव, ग्रामीण कार्य विभाग, बिहार, पटना।

विषय :-MMGSY New Maitenance योजना से संबंधित अनुरक्षण कार्यों के भुगतान हेतु आवंटन उपलब्ध कराने के संबंध में।

महाशय, उपर्युक्त विषयक संबंध में कहना है, कि ग्रामीण कार्य विभाग, कार्य प्रमंडल उदाकिशुनगंज में MMGSY New Maitenance योजनार्न्तगत अनुरक्षण किये गये कार्यों के भुगतान हेतु विहित प्रपन्न में अधियाचना पन्न तैयार कर समर्पित किया जाता है। अतः अनुरोध है, कि आवंटन शीघ्र उपलब्ध कराने की कृपा की जाय, ताकि संवेदक को भुगतान किया जा सके।

अनु0:– यथोक्त विहित प्रपत्र में।

विश्वासभाजन

कार्यपालक अभियंता, ग्रामीण कार्य विभाग, कार्य प्रमंडल उदाकिशुनगंज।

Requisition Format for Scheme Head - MR (3054) Under Bihar Rural Road maintenance Policy 2018 (Initial Rectification and Surface Renewal)

				Total 14,69195
21004812056 LNo Dt. 1.105 64.411 33.21567 7.70115 24/25 08.10.2025 - 2370 09.01.2025	LNo Dt. 1.105 64.411 33.21567 7.70115 24725 08.10.2025 -	LNo Dt. 1.105 64.411 33.21567 7.70115 24725 08.10.2025 - 2370 25mm 0.05	LNo Dt. 1.105 64.411 33.21567 7.70115 24725 08.10.2025 - 2370 25mm 0.05	LNo Dt. 1.105 64.411 33.21567 7.70115 247.5 08.10.2025 - 2370 25mm 09.01.2025
64.411 33.21567 7,70115 12/MBD/20 08,10.2025 - 09,01.2025	64.411 33.21567 7.70115 24/25 08.10.2025 - 2370 09.01.2025	64.411 33.21567 7.70115 24/25 08.10.2025 - 2370 25mm 0.05	64.411 33.21567 7.70115 24/25 08.10.2025 - 2370 25mm 0.05	64.411 33.21567 7.70115 24/25 08.10.2025 - 2370 25mm 0.05
33.21567 7.70115 12/MBD/70 08.10.2025 - 09.01.2025	33.21567 7.70115 12/MBD/20 08.10.2025 - 2370 09.01.2025	33.21567 7.70115 24725 08.10.2025 - 2370 25mm 0.05	33.21567 7.70115 24725 08.10.2025 - 2370 25mm 0.05	33.21567 7.70115 24725 08.10.2025 - 2370 25mm 0.05 18.49165 18.49
7.70115 12/MBD/20 24/25 08.10.2025 -	7.70115 12/MBD/20 24/25 08.10.2025 - 2370 09.01.2025	7.70115 12/MBD/20 24/25 08,10.2025 2370 25mm 0.05	7.70115 12/MBD/20 24/25 08,10.2025 2370 25mm 0.05	7.70115 12/MBD/20 24/25 08,10.2025 2370 25mm 0.05
12/MBD/70 24/25 09:01 2025	12/MBD/20 24/25 09:01:2025 - 2370	12/MBD/70 24/75 08.10.2025 - 2370 25mm 0.05 09.01.2025	12/MBD/70 24/75 08.10.2025 - 2370 25mm 0.05 09.01.2025	12/MBD/20 24/25 08.10.2025 - 2370 25mm 0.05 18.49165 18.4 09.01.2025
08.10.2025 -	08.10.2025 - 2370	08.10.2025 - 2370 25mm 0.05	08.10.2025 - 2370 25mm 0.05	08.10.2025 - 2370 25mm 0.05 18.49165 18.4
	. 2370	. 2370 25mm 0.05	. 2370 25mm 0.05	. 2370 25mm 0.05 18.49165 18.4
. 2370		25mm 0.05	25mm 0.05	25mm 0.05 18.49165 18.4
2370		25mm 0.05	25mm 0.05	25mm 0.05 18.49165 18.4
	25mm	0.05	0.05	0.05 8.40165 18.4

Executive Enginees 24
RWD Works Division
Udakishunganj

Scanned with CamScanner

FORM GFR 19-A

(See Government of india's Decision (1) below Rule-150)

Form of Utilisation Certificate up to March 25 New MR 2018

Executive Engineer Rural Works Department Works Division Udakishunganj

Sl No	Name of	Sanction No.& Date	Amount	particulars
	Scheme	with Amount	Received	
		(in Rs. Lacs)	(in Rs. lac)	ind Till
	New MR 2018	Secretary-Cum- Empowered Officer BRRDA, Patna	10367.45344	Certified that Rs:- 10367.45344 Lac received Till the date in favour of Executive Engineer, RWD Work Division Udakishunganj. A sum of Rs. 10407.92047 Lac has been utilized for the
1		Letter No-10 WE Date- 10.05.2025		purpose of New MR 2018 Scheme as given in the margin for which it was sanctioned and that the balance of Rs. 96.02297 Lacs remaining.
		TOTAL	10367.45344	


2. Certified that I have satisfied mayself that conditions on which the grants in -aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was actually utilized for the purpose for which it was sanctioned. kind of checks exercised:-

- (i) Works have been supervised by Executive Engineer
- (ii) periodical inspection has been conducted by Executive Engineer
- (iii) construction material have been tested.
- (iv) Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer,
- (v) All other codal formalities have been observed.

3. Physical progress achieved: as per progress report.

D.A.O Rural Works Department Works Division Udakishunganj

Executive Engineer Rural Works Department Works Division Udakishunganj



	1	*
	**Date Time Section Length Bumps Speed No. in km in mm Rate 18/3/25 11:11:03 18 0.1 220 18.1 18/3/25 11:11:13 18 0.1 320 25.1 18/3/25 11:11:48 18 0.1 320 24.2 18/3/25 11:12:24 18 0.1 320 20.3 18/3/25 11:13:34 18 0.1 240 20.3 18/3/25 11:13:34 18 0.1 320 24.1 18/3/25 11:13:34 18 0.1 320 24.1 18/3/25 11:13:34 18 0.1 320 24.1 18/3/25 11:14:10 18 0.1 300 19.1 18/3/25 11:14:10 18 0.1 300 19.1 18/3/25 11:14:10 18 0.1 300 19.1	mendra Meh
	Time S 1:10:38 1:11:00 — 1:11:13 1:11:13 1:11:148 11:12:00 11:12:24 11:13:34 11:13:34 11:13:34	ta Bas
	Section No. 18 3 18 3 18 8 18 8 18 18 18 18 18 18 18 18 18 18	a Gane
	Length 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	chour To
	Bumps (in mm 220 210 320 220 320 320 320 320 320 320 320 32	
	n Diyara F Speed Rate 18.1 20.2 25.1 22.1 24.2 20.3 22.2 20.3 22.2 24.1 19.1 10.3	!
	PMGSY OR mm/km 2200 2100 3200 2200 3200 3200 3400 3200 2400 3200 32	
	IRI mm/km 2044 1962 2860 2860 2696 2207 2860 2207 2860 2207 2860 2207	
	CATEGORY ROAD G G G G G G G	
IRI Value Machine ID	EGORY Lalltude DAD G 25.590225 G 25.590793 G 25.591445 G 25.591446 G 25.592254 G 25.592254 G 25.593611 G 25.593778 G 25.593909 G 25.593914 G 25.593914	
2370 924	Longitude 86.977782 86.976654 86.975765 86.974481 86.97299 86.971053 86.969215 86.968315 86.968341	
	Event Normal Y = 0 Normal X = 1 Normal Y = 1 Normal (R) Rt Normal Good Normal Good Normal Good Normal Good Normal Mormal Normal	
	Normal Y = 0 * X * 2 + 0.816 * X + 2. Normal X = 2300 Normal Y = 2125 Normal Normal Normal (R) RUPAL ROAD Normal Good Average Poor Normal Good 4001-500C > 5001 Normal Normal Normal Normal	
	(^2+0.81 0 0 LROAD Average 4001-500	
	2+ 0.816 * X + ROAD Average Poor 4001-500C >5001	
	Poor C>5001	

E. S. S.

Scanned with CamScanner