

कार्यपालक अभियंता का कार्यालय
ग्रामीण कार्य विभाग, कार्य प्रमंडल, सहरसा

Email ID:-ee.saharsa.rwd2@gmail.com

Mob:- 8986915395

1068

28.5.25

पत्रांक 1068/2025 सहरसा/दिनांक

प्रेषक,

कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सहरसा

सेवा में,

नोडल पदाधिकारी (MR 3054)
ग्रामीण कार्य विभाग
पटना, बिहार

विषय :- नई अनुरक्षण नीति-2018MR (3054)योजना के अंतर्गत पथ में कराये गये कार्य के विरुद्ध आवंटन उपलब्ध कराने के संबंध में।

महाशय,

उपरोक्त विषय के संबंध में सूचित करना है कि नई अनुरक्षण नीति-2018 MR (3054)योजना के अंतर्गत पथ में कराये गये कार्य के लिए संवेदक को भुगतान करने हेतु अधियाचना विहित प्रपत्र में भरकर आवश्यक कार्यवाही हेतु समर्पित की जाती है।

अनु :- यथोक्त।

Bal
28/5/25

विश्वासभाजन

28/5/25
कार्यपालक अभियंता,
ग्रामीण कार्य विभाग,
कार्य प्रमंडल, सहरसा।

FORM GFR 19-A

(See Government of India's Decision (I) below Rule-150)

Form of Utilization Certificate up to May 27, 2025

Sl.No	Name of Scheme	Sanction No.&Date With Amount (In lace Rs.)	Amount Received (In lace Rs.)	Particulars
1	Construction of Rural roads Under "New Maintenance Policy-2018 MR (3054)"	New Maintenance Policy-2018 MR (3054) BRRDA PATNA Lt no-33 Dt-10.05.2025	7679.70904	Certified that out of Rs.7679.70904 Lac of grants-in-aid sanctioned during the years 2025-26. In favor of EE,RWD Works Division Saharsa a sum of Rs. 7565.84005 lac has been utilized for the purpose of MR (3054) Schemes as given in the margin for which it was sanctioned and that the balance of Rs. 113.86899 Lac remaining unutilized at the end of the period under report.
	Total:		7614.64543	

2. Certified that I have satisfied myself that the conditions on which the grant-in-aid was sanctioned have been duly fulfilled/are being fulfilled and that I have exercised the following checks to see that the money was utilized for the purpose for which it was sanctioned.

Kind of Checks exercised:-

- Works have been supervised by Executive Engineer/ Superintending Engineer.
- Periodical inspection has been conducted by Executive Engineer/ Superintending Engineer.
- Construction materials have been tested.
- Measurements have been recorded in the MBs and test check conducted by the Assistant Engineer/ Executive Engineer.
- All other caudal formalities have been observed.

3. Physical Progress achieved:-

- Construction of Road Works.
- Construction of CD works.


28/5/25
Divisional Accounts Officer
R.W.D, works Division
Saharsa.


28/5/25
Executive Engineer
R.W.D, works Division
Saharsa.

Rural Works Department

MIR NEW MAINTENANCE POLICY-2018 REQUISITION

Name of Division:- RWD Works Division Saharsa


Sl. No.	Year	Name of Road	Name of Contractor (in English)	Project Id	Administrative Sanction		Agreement Amount (in Lacs)		Value of IRI (in mm/km)	Thickness of Bitumen Layer (in mm)	Value of Bitumen Content in Percentage	Allotment Received (in Lacs)	Total Expenditure as per MIS (in Lacs)	Value of Measurement (in Lacs)	Current Demand (in Lacs)	Remarks
					Length (in KM)	Amount (in Lac)	Main Work Amount	Maintenance Amount								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1	2023-24	LOB4-Samda to Dhamsaina (TRACK13)	M/S Om Sai Engicons	Z0904302180	1.742	99.75	61.74381	12.62105	2423	25mm	5%	12.41079	12.41079	61.74381	49.33302	
2	2023-24	Subat Bherana Main Road to Buddhu Singh Mushari	M/S Om Sai Engicons	Z0904313033	2.425	166.24	106.5537	18.05650	2423	25mm	5%	26.3506	26.3506	106.55366	80.20306	
3	2023-24	Sour Patarghat Main Road to Thengha South Tola	M/S Om Sai Engicons	49431911423	2.970	158.67	97.82862	21.51350	2797	25mm	5%	22.43209	22.43210	97.82862	75.39653	
4	2023-24	T03-Naxhatt to Mushaharia Rahi	M/S Om Sai Engicons	Z0904302187	4.700	272.74	166.85317	35.06810	3735	25mm	5%	160.65802	160.65802	6.19715	6.19715	
Total.					7.137	424.660	266.126	52.191				224.85150	221.85151	272.32324	211.12976	

D. A. B. S. I. W.
Rural Works Department
Works Division, Saharsa

Executive Engineer
Rural Works Department
Works Division, Saharsa

Name of work		T03-Navhatt To Mushahamia Rahi Naya Nigar													
Name of customer		M/S Om Sai Engicons													
(R/Rural Road)															
Good		Average				Poor									
< 4000		4001 - 5000				> 5000									

Date	Time	Test No	Dist (m)	Total Distance(m)	B.M/PC(m)	Speed(Km/Hr)	Uturn(Km)	Corrected UI (mm/Km)	IRI	Status	Latitude	Direction	Longitude	Direction1	Remarks
18/01/2022 5	8:58:00	248	3	0	0.0 cm	15.7 Km/Hr	0.0 mm/Km	88	0.17	Good	25.98323	N	86.50424	E	Normal
18/01/2022 3	8:58:00	249	100	100	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	248	100	200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	249	100	300	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.98323	N	86.50424	E	Normal
18/01/2022 3	8:58:00	248	100	400	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	249	100	500	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	248	100	600	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	249	100	700	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	248	100	800	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.98323	N	86.50424	E	Normal
18/01/2022 8	8:58:00	249	100	900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	248	100	1000	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	249	100	1100	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.98323	N	86.50424	E	Normal
18/01/2022 3	8:58:00	248	100	1200	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.98323	N	86.50424	E	Normal
18/01/2022 5	8:58:00	249	100	1300	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
18/01/2022 6	8:58:00	248	100	1400	28.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.970302	N	86.513687	E	Normal
18/01/2022 5	8:58:00	249	100	1500	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.970302	N	86.513687	E	Normal
18/01/2022 5	8:58:00	248	100	1600	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
18/01/2022 9	8:58:00	249	100	1700	29.0 cm	24.9 Km/Hr	2900.0 mm/Km	2797	3.78	Good	25.970302	N	86.513687	E	Normal
18/01/2022 6	8:58:00	248	100	1800	25.0 cm	37.8 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal

 26/04/25
 26/04/25
 26/04/25

Name of work		T03-Navhatt To Mushetamla Rahi Naya Nigari													
Name of customer		M/S Om Sai Engicons													
(R)Rural Road															
Good		Average						Poor							
< 4000		4001 - 6000						> 6000							
16/01/2022 5	9 08 00	249	130	1900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2000	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2100	29.0 cm	24.9 Km/Hr	2900.0 mm/Km	2797	3.78	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2300	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2400	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2500	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2600	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2700	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2800	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	2900	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.970302	N	86.513687	E	Normal
16/01/2022 5	9 08 00	249	130	3000	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.999657	N	86.5241	E	Normal
16/01/2022 5	9 08 00	249	130	3100	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.999657	N	86.5241	E	Normal
16/01/2022 5	9 08 00	249	130	3200	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.999657	N	86.5241	E	Normal
16/01/2022 5	9 10 00	249	130	3300	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.999657	N	86.5241	E	Normal
16/01/2022 5	9 10 00	249	130	3400	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.999657	N	86.5241	E	Normal
16/01/2022 5	9 10 00	249	130	3500	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.999657	N	86.5241	E	Normal
16/01/2022 5	9 10 00	249	130	3600	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.999657	N	86.5241	E	Normal
16/01/2022 5	9 10 00	249	130	3700	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.999657	N	86.5241	E	Normal
16/01/2022 5	9 10 00	249	130	3800	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.999657	N	86.5241	E	Normal

28/01/25

28/01/25

28/01/25

Name of work : T03-Navhatt To Mushahamia Rahl Naya Nagar

Name of customer : M/S Om Sai Engicons

(R/Rural Road

Good	Average	Poor
< 4000	4001 - 5000	> 5000


16/01/2022	9:10:00	249	100	3900	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.87	Good	25.995657	N	86.5241	E	Normal
16/01/2022	9:10:00	249	100	4000	28.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.992172	N	86.52534	E	Normal
16/01/2022	9:10:00	249	100	4100	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2787	3.78	Good	25.992172	N	86.52534	E	Normal
16/01/2022	9:14:00	249	100	4200	28.0 cm	43.6 Km/Hr	2800.0 mm/Km	2704	3.67	Good	25.992172	N	86.52534	E	Normal
16/01/2022	9:14:00	249	100	4300	29.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.992172	N	86.52534	E	Normal
16/01/2022	9:14:00	249	100	4400	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.992172	N	86.52534	E	Normal
16/01/2022	9:14:00	249	100	4500	24.0 cm	37.8 Km/Hr	2400.0 mm/Km	2330	3.21	Good	25.992172	N	86.52534	E	Normal
16/01/2022	9:14:00	249	100	4600	25.0 cm	44.5 Km/Hr	2500.0 mm/Km	2423	3.33	Good	25.992172	N	86.52534	E	Normal
16/01/2022	9:14:00	249	100	4700	29.0 cm	24.9 Km/Hr	2800.0 mm/Km	2797	3.78	Good	25.992172	N	86.52534	E	Normal

16/01/2022

16/01/2022

16/01/2022

Name of Customer: M/S Om Sai Engicons, Machine no: 19215, Road: 103-Nayhat To Mushahania Rohl Naya Nagar, Date: 17/01/25, Section No: 249, Equation: $Y=0.934X+88.4$



Handwritten signature
26/01/25

Handwritten signature
28/01/25

Handwritten signature
28/01/25