

Name of user:- Bhagwati praprosy to Katharwa via Ramchara

Schedule XLV-Form No. 134

ममसु (RRSmp)

Saymaga DIVISION

Ladhania SUB-DIVISION

1528

Measurement Book

Ramchara Sika

2nd.
Abstract of Cost

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
① Clearing and Grubbing Road Land (by manual means) including uprooting					- E/I
Qty vide T. 01. B P-5				Qty.	0.28 Ha.
0.28 Ha @ Rs 73248.75/ha					20510.22
② Providing and fixing loop of M.M.G.S.V. Poles Providing and fixing typical M.M.G.S.V. in boundary					- E/I
Qty vide T. 01. B P-5				Qty.	02.09
02.09 @ Rs 11115.22/lot					22230.22
③ Construction of granular sub-base by providing wall grade materials spreading					- G.S.D. 7
					- E/I
Qty vide T. 01. B P-5				Qty.	60.91 m ³
Qty vide T. 01. B P-5				Qty.	10.98 m ³
				Qty.	71.89 m ³
71.89 m ³ @ Rs 4148.18/m ³					298212.22
④ Providing and laying spreading and Compaction Stone aggregate of specific size to block and Macadam Gr. III.					- E/I
Qty vide T. 01. B P-5				Qty.	70.03 m ³

Continuation

6-340952-22

B/E-340952

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
dy vide T. 41 B P-7					dy = 20.03 m ² 10.76 m ² 80.99 m ²
80.99 m ² @ R. 5951.29/m ² =					481994
⑤ Construction of cur.-reinforcement					
Plain Cement Concrete pavement					
1435 grade / over a prepared sub.					
base ————— E/I.					
dy vide T. 41 B P-6					dy = 23.75 m ²
23.75 m ² @ R. 8237.51/m ² =					195641
⑥ Providing and applying Prime					
Coat with Bitumen emulsion (SS-1)					
on prepared surface ————— E/I.					
dy vide T. 41 B P-9 & 10					dy = 1082.45 m ²
1082.45 m ² @ R. 55.46 /m ² =					60083
⑦ Providing and applying tack Coat					
with bitumen emulsion using					
emulsion pressure distributor at					
the rate of 0.25 to 0.30 kg.					
————— E/I.					
dy vide T. 41 B P-10					dy = 4703.25
4703.25 m ² @ R. 19.07 /m ² =					89691

Continuation

Cb. 1168811

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
⑧ Providing and laying bituminous Macadam with 100-120 TPH hot mix plant producing 6000 5/14					
Qty vol 7.113 p-11				Qty.	235.163 m
235.163 m ³ @ Rs. 12025.61/m ³					2827928
⑨ Providing and applying tack coat with Bituminous emulsion (RS-1) - - - E/L					
Qty vol 7.113 p-11				Qty.	4703.25 m
4703.25 m ³ @ Rs. 16.08/m ³					75628
⑩ Providing and laying semi dense Bituminous Concrete with 100-120 TPH batch type HMP Producing - - - E/L					
Qty vol 7.113 p-12				Qty.	119.58 m ³
119.58 m ³ @ Rs. 14644.08/m ³					1721851
				total amt.	5793768
Add for C/S-7.18 to L-14					1042878
Add for L-14 to L-15					57938
Add for S.15 -					45771
				total amt.	6740355
baluo. 0.02 Allow					1388
				total amt.	6738967

Continuation

[illegible]