

1

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	

1/ Clearing and grubbing road land (Manual Means) - do - all.

$$2 \times 305.0 \times 30 \text{ m} \times 1.0 = 18300.0 \text{ m}^2$$
$$2 \times 1.0 \text{ Nos} \times 25.0 \text{ m} \times 1.0 \text{ m} = 50.0 \text{ m}^2$$
$$= 18350.0 \text{ m}^2$$

In Hectors 1.835 Hga

N ₀	L	B	H	Q _{th}
10 Nos X	30.0X	(7.5 + 7.3) / 2	X 0.75	= 1665.0
11 Nos X	30.0X	(7.5 + 7.2) / 2	X 0.75	= 1819.125
13 Nos X	30.0X	(7.5 + 7.1) / 2	X 0.75	= 2135.25
14 Nos X	30.0X	(7.6 + 7.2) / 2	X 0.75	= 2331.00
13 Nos X	30.0X	(7.5 + 7.2) / 2	X 0.75	= 2149.875

Continuation

Particulars	Details of actual measurement				Contents of area
	No.	L.	B.	D.	
with bitumen emulsion using emulsion for 2 in — as per T-1					
Qty = 33816.71 m^2 vide TMBP-32					
② M. 18.14/ m^2 = M. 613435.4					
(9/9) Providing & laying Bituminous macadam with 100-120 TPH — 4					
as per T-3 — do —					
Qty = 1690.835 m^3 vide TMBP-32					
② M. 9058.16/ m^3 = M. 15315854.					
(10/8) Providing & laying Tack coat on BM with bituminous emulsion — as per T-3 — do —					
Qty = 33816.71 m^2 vide TMBP-32					
② M. 18.14/ m^2 = M. 613435.4					
(11/10) Providing & laying SDBC over BM — as per T-3 — do —					
Qty = 845.417 m^3 vide TMBP-32					
② M. 10726.42/ m^3 = M. 9068298.4					
(12/11) Constructing unreinforced dowel jointed plain cement concrete pavement — as per 407 T-3					
Qty = 154.707 m^3 vide TMBP-34					
② M. 5684.15/ m^3 = M. 879381.0					

Continuation

Continuation